

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

**\* Required****Your name \***

First Last

**Primary Affiliation (short), City, Country \***

University of Toronto, Toronto, Canada

**Your e-mail address \***[abc@gmail.com](mailto:abc@gmail.com)**Title of your manuscript \***

Provide the (draft) title of your manuscript.

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:

**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)

Other:

### Manuscript tracking number \*

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

no ms number (yet) / not (yet) submitted to / published in JMIR

Other:

## TITLE AND ABSTRACT

### 1a) TITLE: Identification as a randomized trial in the title

#### 1a) Does your paper address CONSORT item 1a? \*

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Other:

#### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Use and Effectiveness of Mobile Apps for Depression"

**1a-ii) Non-web-based components or important co-interventions in title**

Mention non-web-based components or important co-interventions in title, if any (e.g., “with telephone support”).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1a-ii?**

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The study was completely mobile with minimal staff contact (restricted to technical support, payment, or reminders to use intervention/study apps only).

**1a-iii) Primary condition or target group in the title**

Mention primary condition or target group in the title, if any (e.g., “for children with Type I Diabetes”) Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1a-iii? \***

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The Use and Effectiveness of Mobile Apps for Depression"

## 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

### 1b-i) Key features/functionality/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionality/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The apps were Project: EVO™, a cognitive training app theorized to mitigate depressive symptoms by improving cognitive control, and iPST, an app based on an evidence-based psychotherapy for depression, and Health Tips, a control app condition."

### 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-ii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Treatment and assessment were conducted remotely on each participant's smart phone and/or tablet with minimal contact with study staff."

**1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT**

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-iii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This was a fully remote, 12-week randomized controlled trial (RCT) conducted across the United States. Participants were recruited through online advertisements and social media. Treatment and assessment were conducted remotely on each participant's smart phone and/or tablet with minimal contact with study staff."

**1b-iv) RESULTS section in abstract must contain use data**

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-iv?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Fifty eight percent of participants did not download their intervention app. Adherence to treatment was highest in the initial two weeks of treatment. Participants' depression and daily functioning were significantly improved after 4 weeks of treatment, with improvement persisting at the 12-week final assessment. Differential treatment effects were found in participants with baseline PHQ-9 score greater than 10 (moderately depressed), with the problem-solving and cognitive training applications resulting in greater effects on mood, function and cognition than the information-control app."

**1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials**

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 1b-v?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Mobile applications based on sound psychological and neuropsychological theory are effective for people with moderate levels of depression, with as little as two weeks of exposure to the app. Mobile apps have the potential to serve as an alternative source of treatment for individuals suffering from moderate depression, but do not appear to be substantially better than information apps in less severely depressed individuals."

**INTRODUCTION**

**2a) In INTRODUCTION: Scientific background and explanation of rationale**

**2a-i) Problem and the type of system/solution**

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 2a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Smart device. While a few proof of concept studies and small scale RCTs have been conducted, none have compared theoretically driven interventions to controls, nor have they investigated the effects of these apps under real-world conditions[12]. The purpose of this study is to address questions regarding the effectiveness of mobile apps for depression as they are typically deployed in the community. This study compares two apps based on evidenced based treatments to an information-only control app on their impact on mood, daily function, and cognition."

**2a-ii) Scientific background, rationale: What is known about the (type of) system**

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 2a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

technology, several studies have already demonstrated that telemedicine and internet-based approaches are feasible and as effective as in-person treatment[8,9]. The success of these distance approaches has resulted in considerable interest in the use of mobile phone applications (apps) as an alternative care delivery platform. Not only do mental health apps have tremendous reach, patients can access these tools whenever they feel the need and as often as they like without having to wait until a mental health professional is available[10,11]."



## 2b) In INTRODUCTION: Specific objectives or hypotheses

### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Based on previous internet-based studies, we hypothesized that apps based on existing behavioral interventions would result in better depression and functional outcomes compared to a control app[11], and that app adherence would be lower than recommended."

## METHODS

### 3a) Description of trial design (such as parallel, factorial) including allocation ratio

#### Does your paper address CONSORT subitem 3a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

random number generator. Eligibility criteria that participants spoke English, were 18 years old or older and own a smartphone (iPhone or Android) with Wi-Fi or 3G/4G capabilities. Participants were also required to own an iPad2 or newer version as one of the intervention apps was only iOS and iPad compatible. Eligible participants scored 5 or more on the Patient Health Questionnaire (PHQ-9[13]) or scored 2 or greater on item 10 of the PHQ-9. All treatment and assessment was delivered over the participants' smart devices, using assessment and intervention software."

### 3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

#### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other “unexpected events” that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

## 4a) Eligibility criteria for participants

### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Eligibility entailed that participants spoke English, were 18 years old or older and own a smartphone (iPhone or Android) with Wi-Fi or 3G/4G capabilities. Participants were also required to own an iPad2 or newer version as one of the intervention apps was only iOS and iPad compatible. Eligible participants scored 5 or more on the Patient Health Questionnaire (PHQ-9[13]) or scored 2 or greater on item 10 of the PHQ-9."

**4a-i) Computer / Internet literacy**

Computer / Internet literacy is often an implicit “de facto” eligibility criterion - this should be explicitly clarified.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 4a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Eligibility entailed that participants spoke English, were 18 years old or older and own a smartphone (iPhone or Android) with Wi-Fi or 3G/4G capabilities"

**4a-ii) Open vs. closed, web-based vs. face-to-face assessments:**

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 4a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

to study staff for technical support. Contact was primarily through email or SMS, with occasional phone call meetings if needed to help participants download their intervention applications."

"Once participants completed the consent process, a secure, one-user valid link to a secure webpage was sent to participants' email address that contained a brief video explaining how to download and then use their assigned intervention. This webpage also contained a link to automatically download said apps to the participants' phone or iPad."

**4a-iii) Information giving during recruitment**

Information given during recruitment. Specify how participants were briefed for recruitment and in the

informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All potential participants learned about the study through a website explaining study details, which led to a screening protocol using automated software (SurveyGizmo™) to determine eligibility. Informed consent was conducted through a 2-minute video explaining the study risks and benefits, in addition to a PDF of the consent form. Participants had to complete a 3-item quiz testing their understanding of the study to advance to the randomization phase."

## 4b) Settings and locations where the data were collected

#### Does your paper address CONSORT subitem 4b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All treatment and assessment was delivered over the participants' smart devices, using assessment and intervention software."

#### 4b-i) Report if outcomes were (self-)assessed through online questionnaires

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

1 2 3 4 5

subitem not at all important      essential

#### Does your paper address subitem 4b-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information

not in the ms, or briefly explain why the item is not applicable/relevant for your study

"we collected demographic information, depression severity using the 9-item Patient Health Questionnaire (PHQ-9[13]), functional disability using the Sheehan Disability Assessment Scale (SDS[14]), anxiety, using the Generalized Anxiety Disorders Scale (GAD-7[15]), history of mania or psychosis using the IMPACT assessment of mania and psychosis[16], alcohol use using the Alcohol Use Disorders Identification Test (AUDIT-C)[17]. We also collected self-reported quality of sleep, current use of mobile applications, and engagement in outside mental health treatment."

**4b-ii) Report how institutional affiliations are displayed**

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention.(Not a required item – describe only if this may bias results)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 4b-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered**

**5-i) Mention names, credential, affiliations of the developers, sponsors, and owners**

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"AG is co-founder, chief science advisor and shareholder of Akili Interactive Labs, a company that develops cognitive training software. AG has a patent pending for a game-based cognitive training intervention, 'Enhancing cognition in the presence of distraction and/or interruption', on which the cognitive training application (PROJECT: EVO) that was used in this study was based. No other author has any conflict of interest to report."

**5-ii) Describe the history/development process**

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**5-iii) Revisions and updating**

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to

indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**5-iv) Quality assurance methods**

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-iv?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A; all assessments were self-reported.

**5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used**

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-v?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**5-vi) Digital preservation**

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-vi?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**5-vii) Access**

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-vii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



"Once participants completed the consent process, a secure, one-user valid link to a secure webpage was sent to participants' email address that contained a brief video explaining how to download and then use their assigned intervention. This webpage also contained a link to automatically download said apps to the participants' phone or iPad."

**5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework**

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-viii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

problem solving app (in ST) is based on problem solving therapy, which focuses on a 7-step model to manage mood. In this app, participants choose a goal and are guided through a 7-step process to create an action plan. Problem Solving Therapy is an evidence-based treatment[21], and is particularly effective in treating depression[3,22].

Information Control (Health Tips). Participants in this condition were given an app that provided daily health tips (HT) for improved health, such as self-care (e.g., taking a shower) or physical activity (e.g., taking

**5-ix) Describe use parameters**

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-ix?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participant adherence was characterized three ways: None= no plays at all, Suboptimal= some plays, but never met "adherence" criteria for a given week OR only met adherence criteria for 1 of the 4 weeks, Optimal= met "adherence" criteria for at least 2 of the 4 weeks."

**5-x) Clarify the level of human involvement**

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-x?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Study staff contacted participants to remind them to use their intervention and/or assessment app if they had three consecutive days of missing data via email or SMS. Aside from this, participants were only contacted when they A) were due payment, or B) when they reached out to study staff for technical support."

**5-xi) Report any prompts/reminders used**

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 5-xi? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Study staff contacted participants to remind them to use their intervention and/or assessment app if they had three consecutive days of missing data via email or SMS. Aside from this, participants were only contacted when they A) were due payment, or B) when they reached out to study staff for technical support."

### 5-xii) Describe any co-interventions (incl. training/support)

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 5-xii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no additional interventions beyond the mobile mental health applications apart from technical assistance in downloading the intervention application itself.

## 6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed

### Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary outcome measures were of depression (PHQ-9) and function (SDS[25]), with these scores captured weekly for the first four weeks of treatment, then at 8 and 12 weeks (see Supplementary materials for discussion of other exploratory outcomes). Participants were paid \$20.00 for completing assessments at the 4, 8, and 12-week marks. Because all assessment was conducted using assessment software, procedures for blinding research assistants was not necessary."

**6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed**

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 6a-i?**

Copy and paste relevant sections from manuscript text

**6a-ii) Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored**

Describe whether and how "use" (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 6a-ii?**

Copy and paste relevant sections from manuscript text

**6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained**

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 6a-iii?**

Copy and paste relevant sections from manuscript text

## 6b) Any changes to trial outcomes after the trial commenced, with reasons

**Does your paper address CONSORT subitem 6b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

There were no changes to trial outcomes after the trial commenced.

## 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## 7b) When applicable, explanation of any interim analyses and stopping guidelines

### Does your paper address CONSORT subitem 7b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants ended the study once they reached the 12- week mark.

## 8a) Method used to generate the random allocation sequence

NPT: When applicable, how care providers were allocated to each trial group

**Does your paper address CONSORT subitem 8a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No care providers were allocated to any of the trial groups. Participants were assigned randomly into one of three conditions (see below).

## 8b) Type of randomisation; details of any restriction (such as blocking and block size)

**Does your paper address CONSORT subitem 8b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Participants were randomly assigned to one of the three apps using a random number generator built into the eligibility survey."

## 9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

**Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

See above. A random number generator was used to determine which treatment group participants would be assigned to.

## 10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

### Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

random number generator built into the eligibility survey. Eligibility criteria entailed that participants spoke English, were 18 years old or older and own a smartphone (iPhone or Android) with Wi-Fi or 3G/4G capabilities. Participants were also required to own an iPad2 or newer version as one of the intervention apps was only iOS and iPad compatible. Eligible participants scored 5 or more on the Patient Health Questionnaire (PHQ-9[13]) or scored 2 or greater on item 10 of the PHQ-9. Applications were dispersed to eligible participants by study staff via email once the participant met eligibility criteria."

## 11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment

### 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information



not in the ms, or briefly explain why the item is not applicable/relevant for your study

Study staff were not blind to treatment condition.

**11a-ii) Discuss e.g., whether participants knew which intervention was the “intervention of interest” and which one was the “comparator”**

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the “intervention of interest” and which one was the “comparator”.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 11a-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## 11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

**Does your paper address CONSORT subitem 11b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The Health Tips application (control) functions similarly to supportive therapy in clinical trials comparing the effectiveness of psychotherapies.

"Although it provided daily advice on improving one's health, it is not tied to any specific theory, similar to supportive-control treatments. Participants were not required to act on the health tip."

## 12a) Statistical methods used to compare groups for primary and secondary outcomes

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed

### Does your paper address CONSORT subitem 12a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Because this study took place in one site, there was no clustering of care providers or centers.

### 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"All analyses were modeled using an intent-to-treat approach. (...) To estimate changes in depression and disability during and after the treatment period, growth curve models were tested using multilevel modeling with continuous piecewise growth curves for each period. These models used restricted maximum likelihood with all available data to reducing missing data bias[27], and included random intercepts and random effects for time."

## 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

subgroups, EVO and iPST did not significantly differ from the control condition at week 4 or week 8. With regard to remission, moderately disabled participants had a no difference relative to control at weeks 4 and 8 between the EVO (31%, 23%), iPST (37% and 36%) and HT conditions (25% and 41%;  $\chi^2 = 2.09$  and  $2.48$ , respectively,  $P = .35$  and  $.29$ , respectively; see Figure 3c). For the mildly disabled group, EVO yielded higher rates of recovery at 4 weeks (53%) compared to iPST (35%) and HT (24%;  $\chi^2 = 6.69$ ,  $P = .04$ ; see Figure 3d), although this trend was not present at week 8 ( $\chi^2 = 1.31$ ,  $P = ns$ ).

## X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

### X26-i) Comment on ethics committee approval

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**x26-ii) Outline informed consent procedures**

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X26-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**X26-iii) Safety and security procedures**

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem X26-iii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## RESULTS

13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

**Does your paper address CONSORT subitem 13a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"2923 participants were screened in 5 weekly recruitment periods over 6 months (see CONSORT diagram, Figure 1). 626 participants had both an iPad2 and a smart phone, and were randomized to the three study arms (PST= 211; EVO= 209; HT= 206)."

13b) For each group, losses and exclusions after randomisation, together with reasons

**Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A consort flow diagram can be found in the main word document.

### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## 14a) Dates defining the periods of recruitment and follow-up

### Does your paper address CONSORT subitem 14a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"2923 participants were screened in 5 weekly recruitment periods over 6 months"

"The primary outcome measures were of depression (PHQ-9) and function (SDS[25]), with these scores captured weekly for the first four weeks of treatment, then at 8 and 12 weeks (see Supplementary materials for discussion of other exploratory outcomes)."

**14a-i) Indicate if critical "secular events" fell into the study period**

Indicate if critical "secular events" fell into the study period, e.g., significant changes in Internet resources available or "changes in computer hardware or Internet delivery resources"

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 14a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**14b) Why the trial ended or was stopped (early)****Does your paper address CONSORT subitem 14b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The trial ended upon completion of the 12-week assessment.

**15) A table showing baseline demographic and clinical characteristics for each group**

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

**Does your paper address CONSORT subitem 15? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A table showing baseline demographic and clinical characteristics for each group can be found in the main document.

**15-i) Report demographics associated with digital divide issues**

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 15-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The majority of the sample was female (79%), and Non-Hispanic White (60%) The demographic characteristics of the randomized sample including ethnic group proportions, concurrent clinical diagnoses, and those in treatment are presented in Table 1."

**16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups**

**16-i) Report multiple "denominators" and provide definitions**

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

1 2 3 4 5

subitem not at all important      essential



**Does your paper address subitem 16-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Primary information can be found in the consort diagram, which can be found in the main document.

**16-ii) Primary analysis should be intent-to-treat**

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 16-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**

**Does your paper address CONSORT subitem 17a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

These outcomes are reported in the tables within the main manuscript.

**17a-i) Presentation of process outcomes such as metrics of use and intensity of use**

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as “average session length”. These must be accompanied by a technical description how a metric like a “session” is defined (e.g., timeout after idle time) [1] (report under item 6a).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 17a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended**

**Does your paper address CONSORT subitem 17b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Odds ratios are presented for the analysis of binary outcomes.

## 18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

### Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

that baseline depression significantly moderated changes in depression over time during weeks 4-12 for the iPST group relative to control (P = .024). Baseline anxiety significantly moderated changes in the SDS over time during weeks 4-12 for iPST (P = .01) but not for EVO (P = .08) relative to control. Comparing participants who played the EVO and iPST apps optimally, sub-optimally, or not at all, we observed that the overall levels of depression were not different for the suboptimal or optimal groups relative to the "none" group for both EVO (all P -values >= 0.22) and PST (all P -values >= 0.64; see eTable 1)."

### 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

### Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"App use was collected and ported to a secure data server at UCSF, which met all HIPPA and security requirements imposed by the university."

### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**19-ii) Include qualitative feedback from participants or observations from staff/researchers**

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 19-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## DISCUSSION

### 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

**22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)**

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 22-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

completed eligibility criteria, consent forms, and baseline assessment.  
 This is not an uncommon phenomenon in research of this nature: for example, nearly all self-guided internet-based studies experience drop out rates as high as 90% very early in the study timeline[36], and a recent RCT comparing a mood app to a control app had an 82% drop out rate[37]. Although our final sample was large enough to test the effects of apps on outcomes, the findings should be interpreted cautiously, and for the mildly depressed subsample, changes in mood could be attributed to regression to the mean."

**22-ii) Highlight unanswered new questions, suggest future research**

Highlight unanswered new questions, suggest future research.

1 2 3 4 5

subitem not at all important      essential

**Does your paper address subitem 22-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses**

**20-i) Typical limitations in ehealth trials**

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem 20-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

These descriptions are found in the text, specifically with respect to citation of our previous work describing the methods used here (Anguera et al 2016)

## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

**21-i) Generalizability to other populations**

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

1 2 3 4 5

subitem not at all important      essential**Does your paper address subitem 21-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**21-ii) Discuss if there were elements in the RCT that would be different in a routine application**

**setting**

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

1 2 3 4 5

---

subitem not at all important      essential

---

**Does your paper address subitem 21-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

**OTHER INFORMATION****23) Registration number and name of trial registry****Does your paper address CONSORT subitem 23? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

NCT00540865

**24) Where the full trial protocol can be accessed, if available****Does your paper address CONSORT subitem 24? \***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript



(include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

These details can be found both at [clinicaltrials.gov](http://clinicaltrials.gov) and in Anguera et al (2016; BMJ Innovations).

This is a required question

## 25) Sources of funding and other support (such as supply of drugs), role of funders

### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Support for this research was provided by the National Institute of Mental Health (P.A.A. R34-MH100466, T32MH0182607, K24MH074717)."

## X27) Conflicts of Interest (not a CONSORT item)

### X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

1 2 3 4 5

subitem not at all important      essential

### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

## About the CONSORT EHEALTH checklist

**As a result of using this checklist, did you make changes in your manuscript? \***

- yes, major changes  
 yes, minor changes  
 no

**What were the most important changes you made as a result of using this checklist?**

**How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \***

30 minutes.

**As a result of using this checklist, do you think your manuscript has improved? \***

- yes  
 no  
 Other:

**Would you like to become involved in the CONSORT EHEALTH group?**

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes  
 no  
 Other:

**Any other comments or questions on CONSORT EHEALTH****STOP - Save this form as PDF before you click submit**

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

**Final step: Click submit !**

Click submit so we have your answers in our database!

*Never submit passwords through Google Forms.*

Powered by

This content is neither created nor endorsed by Google.

[Report Abuse](#) - [Terms of Service](#) - [Additional Terms](#)