	All Enrollees	Analytic	Lost to Follow-up	
	N=372	Sample n=331	n=41	p-value
Patient				
<u>Characteristics</u> Age in years	$67.9 \pm 10.2$	$67.8 \pm 10.2$	$68.4 \pm 10.6$	.722
Male	98.9	99.4	95.1	.012
White race	76.6	77.0	73.2	.830
Married/Partnered	58.9	58.9	58.5	.963
High School or less	49.2	48.0	58.5	.211
Live alone	32.8	32.6	34.1	.845
Unemployed/retire	87.9	87.6	90.2	.626
Income < \$15,000	31.7	31.4	34.1	.772
CES-D Depression	$3.0 \pm 2.5$	$2.97\pm2.49$	$3.56\pm2.05$	.143
MLHFQ <sup>a</sup>	$44.2 \pm 25.6$	$43.3 \pm 25.3$	$50.7 \pm 27.1$	.096
HFSCB <sup>b</sup>	83.8 ± 18.1	82.8 ± 17.9	$91.8\pm17.9$	.002
Adherent to HF Rx <sup>c</sup>	52.4	52.3	53.7	.866
<b>Relationship Quality<sup>d</sup></b>				
Talk 2+ times/ week	63.4	65.9	43.9	.006
Negative emotions <sup>e</sup>	45.8	44.8	53.7	.284
Perceived difficulty <sup>f</sup>	21.5	21.5	22.0	.941

Multimedia Appendix 5. Comparison of Baseline Characteristics for Patients with and without Follow-up Data

Multimedia Appendix 5 (continued). Comparison of Baseline Characteristics for Patients with and without Follow-up Data

	All Enrollees N=372	Analytic Sample n=331	Lost to Follow-up n=41	p-value
<u>CarePartner</u> Characteristics				
Age	47.1 ± 13.2	$46.7 \pm 13.2$	$49.7 \pm 12.5$	.171
Male	34.4	35.0	29.3	.424
Married/Partnered	67.7	68.6	61.0	.358
High School or less	27.7	27.8	26.8	.924
Unemployed/retired	37.1	36.9	39.0	.762

Notes: Cell entries are either mean ± SD or percents. <sup>a</sup>Minnesota Living with Heart Failure Questionnaire Scores. Lower scores indicate better functioning. <sup>b</sup>Revised Heart Failure Self-Care Behavior Scale. Higher scores indicate better HF self-care. <sup>c</sup>Percent of patients with perfect HF medication adherence over the prior month as measured by the four HFSCB items focused on adherence (see Methods). <sup>d</sup>Patients' reports regarding their relationship with their CarePartner. <sup>e</sup>Percent of patients who report regularly experiencing any of six negative emotions when talking with their CarePartner (sadness, loneliness, anger, tension, guilt, or frustration). <sup>f</sup>Percent of patients who agree that it is "difficult to talk to [their] CarePartner about [their] illness.