

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a) a guide for reporting for authors of RCTs,
- b) to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.



YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).

Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829



med.emerurg@gmail.com (non condiviso) [Cambia account](#)



Bozza salvata

**\*Campo obbligatorio**

Your name \*

First Last

Clara Balsano



Primary Affiliation (short), City, Country \*

University of Toronto, Toronto, Canada

University of L'Aquila, L'Aquila, Italy

Your e-mail address \*

[abc@gmail.com](mailto:abc@gmail.com)

clara.balsano@univaq.it

Title of your manuscript \*

Provide the (draft) title of your manuscript.

Using the Social Robot NAO for Emotional Support to Children at a Pediatric Emergency  
Department: Randomized Clinical Trial

Name of your App/Software/Intervention \*

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

NAO robot



**Evaluated Version (if any)**

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

#29656

**Language(s) \***

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

**URL of your Intervention Website or App**

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

<https://www.softbankrobotics.com/emea/it/nao>

**URL of an image/screenshot (optional)**

La tua risposta



**Accessibility \***

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible
- Altro:

**Primary Medical Indication/Disease/Condition \***

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

stress

**Primary Outcomes measured in trial \***

comma-separated list of primary outcomes reported in the trial

Salivary cortisol levels



### Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

La tua risposta

### Recommended "Dose" \*

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- "as needed"
- Altro:



Approx. Percentage of Users (starters) still using the app as recommended after 3 months \*

- unknown / not evaluated
- 0-10%
- 11-20%
- 21-30%
- 31-40%
- 41-50%
- 51-60%
- 61-70%
- 71%-80%
- 81-90%
- 91-100%
- Altro:



Overall, was the app/intervention effective? \*

- yes: all primary outcomes were significantly better in intervention group vs control
- partly: SOME primary outcomes were significantly better in intervention group vs control
- no statistically significant difference between control and intervention
- potentially harmful: control was significantly better than intervention in one or more outcomes
- inconclusive: more research is needed
- Altro:





**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Altro:



**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- JMIR mHealth and UHealth
- JMIR Serious Games
- JMIR Mental Health
- JMIR Public Health
- JMIR Formative Research
- Other JMIR sister journal
- Altro:

Is this a full powered effectiveness trial or a pilot/feasibility trial? \*

- Pilot/feasibility
- Fully powered



**Manuscript tracking number \***

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

no ms number (yet) / not (yet) submitted to / published in JMIR

Altro: #29656

**TITLE AND ABSTRACT****1a) TITLE: Identification as a randomized trial in the title****1a) Does your paper address CONSORT item 1a? \***

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Altro:



### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use "web-based" and/or "mobile" and/or "electronic game" in the title. Avoid ambiguous terms like "online", "virtual", "interactive". Use "Internet-based" only if Intervention includes non-web-based Internet components (e.g. email), use "computer-based" or "electronic" only if offline products are used. Use "virtual" only in the context of "virtual reality" (3-D worlds). Use "online" only in the context of "online support groups". Complement or substitute product names with broader terms for the class of products (such as "mobile" or "smart phone" instead of "iphone"), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential
						<a href="#">Cancella selezione</a>

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Using the Social Robot NAO "



**1a-ii) Non-web-based components or important co-interventions in title**

Mention non-web-based components or important co-interventions in title, if any (e.g., "with telephone support").

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 1a-ii?**

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**1a-iii) Primary condition or target group in the title**

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")

Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential

Cancella selezione



**Does your paper address subitem 1a-iii? \***

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Emotional Support to Children at a Pediatric Emergency Department"

**1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions**

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.

**1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT**

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

subitem not at all important    1    2    3    4    5    essential

              

Cancella selezione



**Does your paper address subitem 1b-i? \***

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Background: Social robots (SRs) have been used for improving anxiety in children in stressful clinical situations, such as during painful procedures. However, no studies have yet been performed to assess their effect in children while waiting for emergency room consultations.

Objective: This study aims to assess the impact of SRs on managing stress in children waiting for an emergency room procedure through the assessment of salivary cortisol levels.

Results: A total of 109 children aged 3-10 years were enrolled in the study, and 94 (86.2%) had complete data for the analyses. Salivary cortisol levels significantly decreased more in the group exposed to robot interaction than in the other two groups ( $r=0.75$ ). Cortisol levels decreased more in girls ( $r=0.92$ ) than in boys ( $r=0.57$ ).

Conclusions: SRs are efficacious in decreasing stress in children accessing the emergency room and may be considered a tool for improving emotional perceptions of children and their families in such a critical setting."



**1b-ii) Level of human involvement in the METHODS section of the ABSTRACT**

Clarify the level of human involvement in the abstract, e.g., use phrases like “fully automated” vs. “therapist/nurse/care provider/physician-assisted” (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential
						<a href="#">Cancella selezione</a>

**Does your paper address subitem 1b-ii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta





**1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT**

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 1b-iii?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



**1b-iv) RESULTS section in abstract must contain use data**

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential
					<a href="#">Cancella selezione</a>	

**Does your paper address subitem 1b-iv?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



**1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials**

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

1      2      3      4      5

subitem not at all important                        essential

**Does your paper address subitem 1b-v?**

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**INTRODUCTION****2a) In INTRODUCTION: Scientific background and explanation of rationale**

### 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Addressing the emotional needs of children who present to the pediatric emergency department (ED) is a complex task that requires the management of anxiety and pain during medical procedures [9]. In such situations, emotional stress may affect the outcome of emergency interventions due to the lack of cooperation of young patients with health care providers, may delay the diagnosis, and may prolong medical procedures [10,11]. For this reason, interventions for reducing stress in children attending the ED are highly desirable [12-14]"



**2a-ii) Scientific background, rationale: What is known about the (type of) system**

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 2a-ii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Although several studies have explored the impact of SRs on negative emotions in children [3,15,16], their efficacy in reducing stress in hospitalized children is still uncertain. Moreover, to the best of our knowledge, the impact of SRs on stress in children accessing the ED has not been investigated yet."

**2b) In INTRODUCTION: Specific objectives or hypotheses**

**Does your paper address CONSORT subitem 2b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"We therefore conducted a randomized clinical trial with the aim of comparing SR interaction with playing with a nurse, or no intervention, in children accessing the emergency room prior to entering the medical office. Our hypothesis was that SR interaction is superior to other interventions in reducing stress. As the biological response in stressful situations includes the activation of the hypothalamic-pituitary-adrenal axis, a glucocorticoid response and subsequent cortisol release [17], we measured as an outcome salivary cortisol levels in children."

**METHODS**

**3a) Description of trial design (such as parallel, factorial) including allocation ratio**



**Does your paper address CONSORT subitem 3a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This was an open, 3-arm, parallel, randomized clinical trial"

**3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons****Does your paper address CONSORT subitem 3b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This was an open, 3-arm, parallel, randomized clinical trial conducted on children who attended the pediatric ED of the San Salvatore Hospital of L'Aquila from September 1, 2019, to February 29, 2020."



### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### 4a) Eligibility criteria for participants





**Does your paper address CONSORT subitem 4a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Children eligible for the trial were those 3-10 years old, who were assigned a white (not critical), green (not very critical), or yellow (moderately critical) code with no neurological condition at triage, as described by Piccotti et al [18], and who could safely wait for nonurgent care in the waiting room. Exclusion criteria were age range <3 and >10 years; parents not fluent in Italian; yellow code for headache due to recent trauma with visual disturbances, headache accompanied by neck rigidity, vomiting, or indifference to the environment; presence of dyspnea; significant trauma to the head with an altered state of consciousness; and red code (very critical).

**4a-i) Computer / Internet literacy**

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were recruited for a face to face assessments



#### 4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential
					<a href="#">Cancella selezione</a>	

#### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Parents and children who attended the pediatric ED of the San Salvatore Hospital of L'Aquila in the study period were invited to participate in the study, and informed consent (parent) and assent (child) were obtained."

#### 4b) Settings and locations where the data were collected



**Does your paper address CONSORT subitem 4b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The item is not relevant because we had only clinical data

**4b-i) Report if outcomes were (self-)assessed through online questionnaires**

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 4b-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The questionnaires were evaluated by a psychologist



#### 4b-ii) Report how institutional affiliations are displayed

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

#### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered**



### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

1      2      3      4      5

subitem not at all important                        essential

### Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta





5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

1      2      3      4      5

subitem not at all important                        essential

Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The children interacted directly with the electronic NAO Robot.



### 5-viii) Mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionalities/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



**Does your paper address subitem 5-viii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The NAO robot is a small SR, developed by Softbank Robotics, programmed to interact with children (Figure 1) [10,11]. The robot uses cognitive-behavioral distraction strategies appropriate to age (songs, stories, jokes, games, riddles) with children [19-22]. The robot started asking the child's name and age. The robot then autonomously selected the appropriate interaction according to age. Questions posed by the robot to tailor interactions included school attendance, ability to count, favorite subjects, and cartoons. Based on this information, the robot asked the child to count together and to talk about school and favorite subjects and cartoons. A further interpretation of the answers provided by children allowed the robot to make comments and to play the theme songs of the cartoon. The robot also played songs and jokes appropriate for the children's age, inviting them to guess the title or the solution. An additional interaction was about nursery rhymes and tongue twisters. Finally, the robot played guessing games about animal noises and other riddles.

The NAO robot was equipped with natural language processing technologies to understand the child's speech. However, in the case of background noise or incorrect pronunciation, a doctor was present to enter manually answers into the NAO software by the use of a hidden personal computer.

In the second intervention group, children played with nurses by coloring children's books or using toys available in the waiting room.

Children in the control group stayed with their parents and were free to play while waiting"



### 5-ix) Describe use parameters

Describe use parameters (e.g., intended “doses” and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential
						<a href="#">Cancella selezione</a>

### Does your paper address subitem 5-xi? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No prompts / reminders were needed





**5-xii) Describe any co-interventions (incl. training/support)**

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 5-xii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

a member of the research team was always present to solve any technical problems with NAO

**6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed**

**Does your paper address CONSORT subitem 6a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The primary outcome measure of the study was the difference in cortisol level of patients before (T0) and after the intervention (T2)."

**6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed**

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

1      2      3      4      5

subitem not at all important                        essential

**Does your paper address subitem 6a-i?**

Copy and paste relevant sections from manuscript text

La tua risposta



6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

La tua risposta

6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

La tua risposta

**6b) Any changes to trial outcomes after the trial commenced, with reasons**

Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The item is not applicable because co changes were needed

**7a) How sample size was determined**

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed



7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

1      2      3      4      5

subitem not at all important                        essential

Cancella selezione

Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Sample size was calculated based on variations of cortisol levels.  
It was estimated that to detect a reduction in cortisol levels of at least 0.6 ng/mL from T0 to T2, assuming an SD of 0.17 for cortisol levels, with a 95% statistical power (CI, Z=1.96; proportion of the population,  $\pi=0.80$ ; margin of error E=5%, prevalence control group, P0=.85, prevalence health care personnel group, P1=.75, NAO robot group, P2=.80), we evaluated 19 children in each group"

7b) When applicable, explanation of any interim analyses and stopping guidelines



**Does your paper address CONSORT subitem 7b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable because no intermediate analyzes were required

**8a) Method used to generate the random allocation sequence**

NPT: When applicable, how care providers were allocated to each trial group

**Does your paper address CONSORT subitem 8a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Randomization of the intervention was made by an independent researcher"

**8b) Type of randomisation; details of any restriction (such as blocking and block size)**

**Does your paper address CONSORT subitem 8b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Randomization of the intervention was made through computer-generated randomization codes (Random Allocation Software version 1.0, Isfahan University of Medical Sciences) by an independent researcher, and an envelope containing sequential numbers was given to the parents."

**9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned****Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"an envelope containing sequential numbers was given to the parents"



**10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions**

Does your paper address CONSORT subitem 10? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

""Randomization of the intervention was made by an independent researcher""

**11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how**

NPT: Whether or not administering co-interventions were blinded to group assignment

**11a-i) Specify who was blinded, and who wasn't**

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

1      2      3      4      5

subitem not at all important                        essential





Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Researchers that evaluated the results were blinded

11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

1      2      3      4      5

subitem not at all important                        essential

Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



**11b) If relevant, description of the similarity of interventions**

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

**Does your paper address CONSORT subitem 11b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable because it was not relevant, parents of participants knew which intervention was the intervention of interest and which one was the comparator, but who evaluated the results were blinded

**12a) Statistical methods used to compare groups for primary and secondary outcomes**

NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed



**Does your paper address CONSORT subitem 12a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"To evaluate the differences in cortisol levels and heart rate at the 3 different time points within each group, we used the Friedman nonparametric test. Post hoc analyses with the Wilcoxon signed-rank test were carried out to determine where the observed differences were. To evaluate the strength of the relationship between the variables of our interest, we calculated the effect size of our interventions through the Cohen d-based effect size correlation (r). Linear regression analyses were carried out to evaluate the relationship between salivary cortisol levels and heart rate registered at each time within each age group"

**12a-i) Imputation techniques to deal with attrition / missing values**

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in ehealth trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

1      2      3      4      5

subitem not at all important                  essential

Cancel selection



**Does your paper address subitem 12a-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants who dropped out of the study were excluded from the analysis

**12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses****Does your paper address CONSORT subitem 12b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Linear regression analyses were carried out to evaluate the relationship between salivary cortisol levels and heart rate registered at each time within each age group."

**X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)**

## X26-i) Comment on ethics committee approval

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

## Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

## x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



## RESULTS

### 13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

### Does your paper address CONSORT subitem 13a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Of the 109 children, 94 (86.2%) were included in the final analysis as 5 salivary samples in each of the 3 groups could not be analyzed because of sampling problems. Among them, 32 (34%) were in the NAO robot group, 31 (33%) were in the group playing with a study nurse, and 31 (33%) remained with their parents (Figure 2)."

### 13b) For each group, losses and exclusions after randomisation, together with reasons



Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Reasons for refusing participation were (1) parents did not want to let their children interact with NAO (n=15, 42%), parents thought that their children were already overexposed to electronic devices (n=8, 22%), parents were particularly concerned about their child's illness (n=7, 19%); and consent by both parents could not be obtained (n=6, 17%)."

### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential





**Does your paper address subitem 13b-i?**

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**14a) Dates defining the periods of recruitment and follow-up****Does your paper address CONSORT subitem 14a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"This was an open, 3-arm, parallel, randomized clinical trial conducted on children who attended the pediatric ED of the San Salvatore Hospital of L'Aquila from September 1, 2019, to February 29, 2020."



**14a-i) Indicate if critical “secular events” fell into the study period**

Indicate if critical “secular events” fell into the study period, e.g., significant changes in Internet resources available or “changes in computer hardware or Internet delivery resources”

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 14a-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**14b) Why the trial ended or was stopped (early)****Does your paper address CONSORT subitem 14b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The COVID-19 pandemic has stopped recruiting.



### 15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group

#### Does your paper address CONSORT subitem 15? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A description of demographic, psychological, and other baseline characteristics of children by intervention group are reported in Tables 1 and 2 and in Multimedia Appendices 1 and 2."

#### 15-i) Report demographics associated with digital divide issues

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



**Does your paper address subitem 15-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The baseline characteristics of children in the 3 groups were balanced and did not show significant differences"

**16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups****16-i) Report multiple "denominators" and provide definitions**

Report multiple "denominators" and provide definitions: Report N's (and effect sizes) "across a range of study participation [and use] thresholds" [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants "used" the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define "use" of the intervention.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



**Does your paper address subitem 16-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"Of all 94 participants, 48 (51%) were boys. There were no significant differences in the salivary cortisol levels, heart rate, and temperature among the groups at T0 (Table 1). The average total score of the TEC for children interacting with the NAO robot was 6.8 (2.0), while it was 6.5 (1.2) in the group of children playing with nurses and 6.3 (2.0) in the control group (Table 2). The temperaments of the 3 groups evaluated using the CBQ-VSF displayed similar profiles for extraversion/surgency, negative affectivity, and effortful control; the distribution of the scores is reported in Table 2. These results were obtained in 71 of 94 (76%) children only, because 23 children (24%) did not complete the tests due to ED time constraints."

**16-ii) Primary analysis should be intent-to-treat**

Primary analysis should be intent-to-treat, secondary analyses could include comparing only "users", with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)**

Does your paper address CONSORT subitem 17a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"The lowest cortisol levels at T2 were measured in children with NAO robot interaction (Figure 3A). In this group, cortisol levels at T2 significantly differed from those at T0 (3.50 vs 1.87 ng/mL,  $P < .001$ ; Figure 3A). In addition, cortisol levels slightly decreased at T2 in children playing with nurses, and they were similar at T0 and T1 in all groups."



### 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### 17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended



Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We analyzed salivary cortisol levels and we had no binary outcomes

**18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory**

Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not applicable because we had not pre-specified or exploratory results





**18-i) Subgroup analysis of comparing only users**

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 18-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**19) All important harms or unintended effects in each group**

(for specific guidance see CONSORT for harms)



**Does your paper address CONSORT subitem 19? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We found no major damage or undesirable effects in any of the groups.

**19-i) Include privacy breaches, technical problems**

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

1      2      3      4      5

subitem not at all important                        essential

**Does your paper address subitem 19-i?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



### 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**DISCUSSION**



## 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

### 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential
						Cancella selezione

### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"In conclusion, our study demonstrates that SRs are effective in decreasing the stress of children in health care emergency contexts. These devices may be integrated in the pediatric ED workflow, with benefits for patients and families and potentially to speed up clinical procedures. "



**22-ii) Highlight unanswered new questions, suggest future research**

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 22-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses**

### 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

"A limitation was that our study was conducted in a single clinical center and we did not administer any psychological test to assess stress/anxiety to avoid slowing down medical procedures in the emergency room."

### 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial



### 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta



**21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting**

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 21-ii?**

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

**OTHER INFORMATION**

**23) Registration number and name of trial registry**





**Does your paper address CONSORT subitem 23? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Trial Registration: ClinicalTrials.gov NCT04627909: "Robot Therapy in Pediatric Emergency"

**24) Where the full trial protocol can be accessed, if available****Does your paper address CONSORT subitem 24? \***

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

<https://clinicaltrials.gov/ct2/show/study/NCT04627909>

**25) Sources of funding and other support (such as supply of drugs), role of funders**

**Does your paper address CONSORT subitem 25? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The item is not applicable/relevant for your study

**X27) Conflicts of Interest (not a CONSORT item)****X27-i) State the relation of the study team towards the system being evaluated**

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

La tua risposta

### About the CONSORT EHEALTH checklist

As a result of using this checklist, did you make changes in your manuscript? \*

- yes, major changes
- yes, minor changes
- no

What were the most important changes you made as a result of using this checklist?

La tua risposta



How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \*

It took me about two hours

As a result of using this checklist, do you think your manuscript has improved? \*

yes

no

Altro:

Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

yes

no

Altro:

Cancella selezione



Any other comments or questions on CONSORT EHEALTH

La tua risposta

### **STOP - Save this form as PDF before you click submit**

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

### **Final step: Click submit !**

Click submit so we have your answers in our database!

Invia

[Cancella modulo](#)

Non inviare mai le password tramite Moduli Google.

Questi contenuti non sono creati né avallati da Google. [Segnala una violazione](#) - [Termini di servizio](#) - [Norme sulla privacy](#)

Google Moduli

